BRAIN RESEARCH

VOL. 584 NOS. 1/2 CONTENTS 3 JULY 1992

Announcement from the Publisher v

Research Reports

Networks formed by dorsal root ganglion neurites within spinal cord explants: a computer-aided analysis of HRP intracellularly labeled neurons
M.-C. Calvet, J. Calvet, J.-R. Teilhac and M.-J. Drian (France) 1

Evidence for a common network of brain structures involved in Parkinsonian tremor and voluntary repetitive movement
F. Parker, N. Tzourio, S. Blond, H. Petit and B. Mazoyer (France) 11

Post-injury treatment with GM1 ganglioside reduces nociceptive behaviors and spinal cord metabolic activity in rats with experimental peripheral mononeuropathy
J. Mao, R.L. Hayes, D.D. Price, R.C. Coghill, J. Lu and D.J. Mayer (USA) 18

Intrathecal GM1 ganglioside and local nerve anesthesia reduce nociceptive behaviors in rats with experimental peripheral mononeuropathy
J. Mao, D.D. Price, R.L. Hayes, J. Lu and D.J. Mayer (USA) 28

Effect of amygdala kindling on the in vivo release of GABA and 5-HT in the dorsal raphe nucleus in freely moving rats
M.J. During, J.S. Craig, T.D. Hernandez, G.M. Anderson and D.W. Gallager (USA) 36

Comparison of the expression, transcription and genomic organization of D_2 dopamine receptors in outbred and inbred strains of rat
R.R. Luedtke, R.P. Artymyshyn, B.R. Monks and P.B. Molinoff (USA) 45

Effect of delayed treatment with nerve growth factor on choline acetyltransferase activity in the cortex of rats with lesions of the nucleus basalis magnocellularis: dose requirements
A.J. Dekker and L.J. Thal (USA) 55

Dopamine and melatonin interactions in the intact chicken eye.. Electrooculographic and biochemical study
G. Rudolf, B. Vivien-Roels, P. Pévet, E. Kempf and N. Wioland (France) 64

Modulation of nerve membrane sodium channel activation by deltamethrin
L.D. Brown and T. Narahashi (USA) 71

Central tachykinin injection potently suppresses the need-free salt intake of the female rat
M. Massi, L. Gentili, P. Pompei, G. De Caro and A.N. Epstein (Italy, USA) 77

Analgesic effects of intraventricular and intrathecal injection of morphine and ketocyclazocine in the infant rat
G.A. Barr, D.Y. Miya and W. Paredes (USA) 83

Analgesia from the periaqueductal gray in the developing rat: focal injections of morphine or glutamate and effects of intrathecal injection of methysergide or phentolamine
L.A. Tive and G.A. Barr (USA) 92

Uptake of 3-hydroxykynurenine measured in rat brain slices and in a neuronal cell line
C.L. Eastman, T.R. Guilarte and J.R. Lever (USA) 110

Hippocampal laminar glucose utilization and theta rhythm following unilateral fimbria-fornix lesions in rats
G.A. Zimmerman, S.E. Fox, L.A. Freed and D.L. Dow-Edwards (USA) 117

Calcium currents in rat motor nerve terminals
B.R. Hamilton and D.O. Smith (USA) 123

Acetylcholine release in the hippocampus: regulation by monoaminergic afferents as assessed by in vivo microdialysis
O.G. Nilsson, G. Leanza and A. Björklund (Sweden) 132

Involvement of pertussis toxin sensitive G-proteins in conditioned fear-potentiated startle: possible involvement of the amygdala
K.R. Melia, W.A. Falls and M. Davis (USA) 141

Immunohistochemical evidence that Met-enkephalin and GABA coexist in some neurones in rat dorsal horn
A.J. Todd, R.C. Spike, G. Russell and H.M. Johnston (UK) 149

Coactivation of dopamine D_1 and D_2 receptors increases the affinity of cholecystokinin-8 receptors in membranes from post-mortem human caudate-putamen
G. Von Euler, P. Mailleux, M. Von Euler, S.N. Schiffmann, J.-J. Vanderhaeghen and K. Fuxe (Sweden, Belgium) 157

Bombesin, neuromedin C and neuromedin B given intrathecally facilitate the tail flick reflex in the rat
R.A. Cridland and J.L. Henry (Canada) 163

Induction of NMDA receptor-independent long-term potentiation (LTP) in visual cortex of adult rats
V.A. Aroniadou and T.J. Teyler (USA) 169

Age-related alterations of NMDA-receptor properties in the mouse forebrain: partial restoration by chronic phosphatidylserine treatment
S.A. Cohen and W.E. Müller (FRG) 174

Dorsal root potentials and afferent input to the spinal cord in rats with an experimental peripheral neuropathy
J.M.A. Laird and G.J. Bennett (USA) 181

Differential radioligand binding properties of [^{3}H]5-hydroxytryptamine and [^{3}H]mesulergine in a clonal 5-hydroxytryptamine$_{1C}$ cell line
S. Havlik and S.J. Peroutka (USA) 191

(contents continued on p. 336)

Cited in Biological Abstracts (BIOSIS) - Chemical Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update)

BRAIN RESEARCH

VOL. 584 NOS. 1/2 CONTENTS 3 JULY 1992

Announcement from the Publisher v

Research Reports

Networks formed by dorsal root ganglion neurites within spinal cord explants: a computer-aided analysis of HRP intracellularly labeled neurons
M.-C. Calvet, J. Calvet, J.-R. Teilhac and M.-J. Drian (France) 1

Evidence for a common network of brain structures involved in Parkinsonian tremor and voluntary repetitive movement
F. Parker, N. Tzourio, S. Blond, H. Petit and B. Mazoyer (France) 11

Post-injury treatment with GM1 ganglioside reduces nociceptive behaviors and spinal cord metabolic activity in rats with experimental peripheral mononeuropathy
J. Mao, R.L. Hayes, D.D. Price, R.C. Coghill, J. Lu and D.J. Mayer (USA) 18

Intrathecal GM1 ganglioside and local nerve anesthesia reduce nociceptive behaviors in rats with experimental peripheral mononeuropathy
J. Mao, D.D. Price, R.L. Hayes, J. Lu and D.J. Mayer (USA) 28

Effect of amygdala kindling on the in vivo release of GABA and 5-HT in the dorsal raphe nucleus in freely moving rats
M.J. During, J.S. Craig, T.D. Hernandez, G.M. Anderson and D.W. Gallager (USA) 36

Comparison of the expression, transcription and genomic organization of D_2 dopamine receptors in outbred and inbred strains of rat
R.R. Luedtke, R.P. Artymyshyn, B.R. Monks and P.B. Molinoff (USA) 45

Effect of delayed treatment with nerve growth factor on choline acetyltransferase activity in the cortex of rats with lesions of the nucleus basalis magnocellularis: dose requirements
A.J. Dekker and L.J. Thal (USA) 55

Dopamine and melatonin interactions in the intact chicken eye.. Electrooculographic and biochemical study
G. Rudolf, B. Vivien-Roels, P. Pévet, E. Kempf and N. Wioland (France) 64

Modulation of nerve membrane sodium channel activation by deltamethrin
L.D. Brown and T. Narahashi (USA) 71

Central tachykinin injection potently suppresses the need-free salt intake of the female rat
M. Massi, L. Gentili, P. Pompei, G. De Caro and A.N. Epstein (Italy, USA) 77

Analgesic effects of intraventricular and intrathecal injection of morphine and ketocyclazocine in the infant rat
G.A. Barr, D.Y. Miya and W. Paredes (USA) 83

Analgesia from the periaqueductal gray in the developing rat: focal injections of morphine or glutamate and effects of intrathecal injection of methysergide or phentolamine
L.A. Tive and G.A. Barr (USA) 92

Uptake of 3-hydroxykynurenine measured in rat brain slices and in a neuronal cell line
C.L. Eastman, T.R. Guilarte and J.R. Lever (USA) 110

Hippocampal laminar glucose utilization and theta rhythm following unilateral fimbria-fornix lesions in rats
G.A. Zimmerman, S.E. Fox, L.A. Freed and D.L. Dow-Edwards (USA) 117

Calcium currents in rat motor nerve terminals
B.R. Hamilton and D.O. Smith (USA) 123

Acetylcholine release in the hippocampus: regulation by monoaminergic afferents as assessed by in vivo microdialysis
O.G. Nilsson, G. Leanza and A. Björklund (Sweden) 132

Involvement of pertussis toxin sensitive G-proteins in conditioned fear-potentiated startle: possible involvement of the amygdala
K.R. Melia, W.A. Falls and M. Davis (USA) 141

Immunohistochemical evidence that Met-enkephalin and GABA coexist in some neurones in rat dorsal horn
A.J. Todd, R.C. Spike, G. Russell and H.M. Johnston (UK) 149

Coactivation of dopamine D_1 and D_2 receptors increases the affinity of cholecystokinin-8 receptors in membranes from post-mortem human caudate-putamen
G. Von Euler, P. Mailleux, M. Von Euler, S.N. Schiffmann, J.-J. Vanderhaeghen and K. Fuxe (Sweden, Belgium) 157

Bombesin, neuromedin C and neuromedin B given intrathecally facilitate the tail flick reflex in the rat
R.A. Cridland and J.L. Henry (Canada) 163

Induction of NMDA receptor-independent long-term potentiation (LTP) in visual cortex of adult rats
V.A. Aroniadou and T.J. Teyler (USA) 169

Age-related alterations of NMDA-receptor properties in the mouse forebrain: partial restoration by chronic phosphatidylserine treatment
S.A. Cohen and W.E. Müller (FRG) 174

Dorsal root potentials and afferent input to the spinal cord in rats with an experimental peripheral neuropathy
J.M.A. Laird and G.J. Bennett (USA) 181

Differential radioligand binding properties of [^{3}H]5-hydroxytryptamine and [^{3}H]mesulergine in a clonal 5-hydroxytryptamine$_{1C}$ cell line
S. Havlik and S.J. Peroutka (USA) 191

(contents continued on p. 336)

Cited in Biological Abstracts (BIOSIS) - Chemical Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update)

(contents continued)

Synaptic inputs to medullary respiratory neurons from superior laryngeal afferents in the cat
C. Jiang and J. Lipski (New Zealand) 197
The effect of morphine tolerance dependence and abstinence on immunoreactive dynorphin (1-13) levels in discrete brain regions, spinal cord, pituitary gland and peripheral tissues of the rat
A.K. Rattan, K.L. Koo, G.A. Tejwani and H.N. Bhargava (USA) 207
AMPA glutamate receptor activation in the posterior zona incerta inhibits amphetamine- and apomorphine-induced stereotypy
D.E. Supko and L.J. Wallace (USA) 213
Differential distribution of cellular forms of β-amyloid precursor protein in murine glial cell cultures
M. Mizuguchi, K. Ikeda and S.U. Kim (Canada, Japan) 219
Entrainment of the rat circadian clock controlling the pineal *N*-acetyltransferase rhythm depends on photoperiod
M. Humlová and H. Illnerová (Czech and Slovak Federal Republic) 226
Distribution of the endogenous digitalis-like substance (EDLS)-containing neurons labeled by digoxin antibody in hypothalamus and three circumventricular organs of dog and macaque
H. Yamada, N. Ihara, H. Takahashi, M. Yoshimura and Y. Sano (Japan) 237
Ethanol dependence and withdrawal selectively alter localized cerebral glucose utilization
M.J. Eckardt, G.A. Campbell, C.A. Marietta, E. Majchrowicz, R.R. Rawlings and F.F. Weight (USA) 244
An in vitro circadian rhythm of protein synthesis in the rat suprachiasmatic nucleus under tissue culture conditions
S. Shibata, T. Hamada, K. Tominaga and S. Watanabe (Japan) 251
Long-lasting decreases of type II calmodulin kinase expression in kindled rat brains
J.M. Bronstein, P. Micevych, P. Popper, G. Huez, D.B. Farber and C.G. Wasterlain (USA, Belgium) 257
Microinjection of opioid antagonists into the substantia nigra reduces stress-induced eating in rats
M.F. Hawkins, B. Cubic, A.A. Baumeister and C. Barton (USA) 261
Microheterogeneity of dopamine transporters in rat striatum and nucleus accumbens
R. Lew, A. Patel, R.A. Vaughan, A. Wilson and M.J. Kuhar (USA) 266
Mechanotransducing ion channels in astrocytes
C.L. Bowman, J.-P. Ding, F. Sachs and M. Sokabe (USA, Japan) 272

Short Communications

Tyrosine-hydroxylase-containing neurons in the primate basal forebrain magnocellular complex
G.K. Gouras, N.E. Rance, W.S. Young III and V.E. Koliatsos (USA) 287
Serotonergic projections from the midbrain periaqueductal gray and nucleus raphe dorsalis to the nucleus parafascicularis of the thalamus
J. Chen, S.-l. Zeng, Z.-r. Rao and J.-w. Shi (People's Republic of China) 294
The spatial relationship between Müller cell processes and the photoreceptor output synapse
M. Sarantis and P. Mobbs (UK) 299
Guanethidine sympathectomy increases substance P concentration in the superior sympathetic ganglion of adult rats
E.E. Benarroch, P.J. Zollman, J.D. Schmelzer, D.K. Nelson and P.A. Low (USA) 305
Repeated corticosterone administration sensitizes the locomotor response to amphetamine
V. Deroche, P.V. Piazza, S. Maccari, M. Le Moal and H. Simon (France) 309
Chronic cocaine alters brain mu opioid receptors
E.M. Unterwald, J. Horne-King and M.J. Kreek (USA) 314
Na^+-activated K^+ channels are widely distributed in rat CNS and in *Xenopus* oocytes
T.M. Egan, D. Dagan, J. Kupper and I.B. Levitan (USA) 319
Citalopram's ability to increase the extracellular concentrations of serotonin in the dorsal raphe prevents the drug's effect in the frontal cortex
R. Invernizzi, S. Belli and R. Samanin (Italy) 322
Spinal and trigeminal lamina I input to the locus coeruleus anterogradely labeled with *Phaseolus vulgaris* leucoagglutinin (PHA-L) in the cat and the monkey
A.D. Craig (USA) 325
Excitatory amino acid antagonist administered via microdialysis attenuates lactate accumulation during cerebral ischemia and subsequent hippocampal damage
Y. Katayama, T. Kawamata, T. Kano and T. Tsubokawa (Japan) 329

Author Index 334